

## CST Technical Specification

# Specification for Alarms

Document Number: RI082  
Revision: Issue 03  
Date: October 2023

This technical specification is issued by The Communications, Space and Technology Commission in the Kingdom of Saudi Arabia in accordance with the provisions of the Communications and Information Technology Act issued by Royal Decree No. (M/106) dated 02/11/1443 AH and its bylaw, and the Commission's regulation.

Communications, Space and Technology Commission (CST)  
P.O Box 75606 – Riyadh 11588 – Kingdom of Saudi Arabia

Telephone: + 966 1 14618000  
Fax: + 966 1 14618120  
E-mail: [info@cst.gov.sa](mailto:info@cst.gov.sa)  
Website: [www.cst.gov.sa](http://www.cst.gov.sa)

**Document History Table**

Version	Issue Date	Description
Issue 1	January 2010	
Issue 2	July 2021	
Issue 3	October 2023	

## Table of contents

1- Scope.....	4
2- Enforcement.....	4
3- General Requirements.....	5
4- Limits and conditions.....	6
5- Licensing Requirements.....	6
6- Additional Requirements.....	6
7- References.....	7

## 1- Scope

- 1-1 This specification applies to alarms.
- 1-2 Alarm systems are including but not limited to social alarms and alarm systems used for security and safety.

## 2- Enforcement

- 2-1 This specification shall enter into force from issue date.
- 2-2 Any previous version of this technical specification is withdrawn.

### 3- General Requirements

- 3-1 All equipment must comply with the requirement of CST specification GEN001, be safe and must not adversely affect other electrical equipment.
- 3-2 All telecommunications and radio terminal equipment must comply with the relevant technical specifications established by CST. In addition, such equipment may be subject to regulations for Declaration of Conformity or registration. Please visit CST website for details.
- 3-3 If more than one interface type is offered by a piece of equipment, each interface must meet the applicable technical specifications.
- 3-4 Further information on the characteristics and presentation of network interfaces can be obtained by coordinating with the mobile network operators.
- 3-5 It is mandatory that test reports are obtained from a laboratory that has been accredited by a body that is a member of the ILAC Mutual Recognition Arrangement.

## 4- Limits and conditions

Testing should be carried out to ensure compliance with the listed specifications.

Frequency band	Max Output Power or Magnetic Field	Usage	Standard	Comments
868.6 – 868.7 MHz	10 mW ERP	Alarms	EN 300 220-2 EN 301 489-3	
869.25 – 869.40 MHz	10 mW ERP	Alarms	EN 300 220-2 EN 301 489-3	
869.65 – 869.70 MHz	25 mW ERP	Alarms	EN 300 220-2 EN 301 489-3	
169.4750 – 169.4875 MHz	10 mW ERP	Alarms	EN 300 220-2 EN 301 489-3	
169.5875 – 169.6000 MHz	10 mW ERP	Alarms	EN 300 220-2 EN 301 489-3	

## 5- Licensing Requirements

No licensing requirements apply.

## 6- Additional Requirements

There is no additional requirements for this technical specification.

## 7- References

The following referenced documents are indispensable for the application of this document. If no issue or revision number is quoted along with the title of a technical specification or standard, the latest published version should be used.

### **EN 300 220-2**

Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 2: Harmonised Standard for access to radio spectrum for non-specific radio equipment

### **EN 300 220-1**

Short Range Devices (SRD) operating in the frequency range 25 MHz to 1000 MHz; Part 1: Technical characteristics and methods of measurement

### **EN 301 489-1**

Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements.

### **EN 301 489-3**

Electromagnetic compatibility and Radio spectrum Matters (ERM) – Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 40 GHz.